EAST - [default.wsp:1]

File View Edit Tools Window Help

L17: (9) 16 and maintain
L18: (0) 17 and periodic
L19: (9) 17 and period$3
L20: (3) 19 and partition$3
Failed
Saved

Search   List   Browse   Queue   Clear
DBs   US-PGPUB: USPAT: USOCR: EPO, JPO: DERWENT: IBM_TDB
Default operator: OR

Plurals
Highlight all hit terms initially

BRS form   IS&R form   Image   Text   HTML

	Type	L #	Hits	Search Text	DBs
1	BRS	L4	3	memory and (redundant or redundancy) and active and inactive and synchroniz$3 and content and defragment$3 and architecture	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;
2	BRS	L5	0	((redundant or redundancy) near2 memory near2 architecture) and active and inactive and synchroniz$3 and content and defragment$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;
3	BRS	L6	9	((redundant or redundancy) near2 memory near2 architecture) and active and inactive and synchroniz$3 and content	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;
4	BRS	L7	0	6 and fragment$5 and defragment$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;
5	BRS	L10	10	((redundant or redundancy) near5 memory near5 architecture) and active and inactive and synchroniz$3 and content	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;
6	BRS	L13	10	10 and structure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;
7	BRS	L14	10	13 and content	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;
8	BRS	L15	10	14 and synchroniz$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;
9	BRS	L16	9	15 and switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;
10	BRS	L17	9	16 and maintain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;
11	BRS	L18	0	17 and periodic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;
12	BRS	L19	9	17 and period$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;
13	BRS	L20	3	19 and partition$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;

Hits   Details   HTML

Ready   NUM

Drafts
Pending
Active
  L4: (3) memory and (redundant or redundancy) and
  L5: (0) ((redundant or redundancy) near2 memory ne
  L6: (9) ((redundant or redundancy) near2 memory ne
  L7: (0) 6 and fragment$5 and defragment$5
  L10: (10) ((redundant or redundancy) near5 memory
  L13: (10) 10 and structure

Search | List | Browse | Queue | Clear
DBs | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
Default operator: OR

☑ Plurals
☑ Highlight all hit terms initially

BRS form   IS&R form   Image   Text   HTML

	Type	L #	Hits	Search Text	DBs
14	BRS	L21	598	defragmentation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;
15	BRS	L22	919	defragment$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;
16	BRS	L23	2406256	fragment$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;
17	BRS	L24	338	22 same 23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;
18	BRS	L25	4	24 same (redundant redundancy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;
19	BRS	L26	75	24 and (redundant redundancy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;
20	BRS	L27	28	26 and interval	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;
21	BRS	L28	24	27 and period$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;
22	BRS	L29	18	28 and architecture	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;
23	BRS	L30	9	29 and active and inactive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;
24	BRS	L31	5	30 and (data near3 structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;

Hits   Details   HTML

Ready

NUM